

## iDS-7108HQHI-M1/S 8-ch 1080P Mini 1U H.265 AcuSense DVR

### Key Feature

- Deep learning based human and vehicle targets classification of Motion Detection 2.0
- Deep learning-based perimeter protection
- H.265 Pro+/H.265 Pro/H.265 video compression
- HDTVI/AHD/CVI/CVBS/IP video inputs
- Audio via coaxial cable
- Up to 12-ch IP camera inputs (up to 6 MP)
- Encoding ability up to 3K/5M Lite @ 12 fps



### Smart Function

- Deep learning based human and vehicle targets classification of Motion Detection 2.0
- Deep learning based perimeter protection

### Compression and Recording

- H.265 Pro+ can be enabled to improve encoding efficiency and reduce data storage costs
- Recording at up to 3K/5 MP Lite resolution

### Storage and Playback

- 1 SATA interface (up to 10 TB capacity)
- Smart search for efficient playback

### Network & Ethernet Access

- Hik-Connect & DDNS (Dynamic Domain Name System) for easy network management

## ▪ Specification

| Motion Detection 2.0         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Human/Vehicle Analysis       | <p>Deep learning-based motion detection 2.0 is enabled by default for all analog channels, it can classify human and vehicle, and extremely reduce false alarms caused by objects like leaves and lights;</p> <p>Quick search by object or event type is supported;</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Perimeter Protection         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Human/Vehicle Analysis       | Up to 4-ch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Facial Detection             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Facial Detection and Capture | Face picture detection, face picture search                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Recording                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Video Compression            | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Encoding Resolution          | <p>When 1080p Lite mode is not enabled:</p> <p>3K lite/5 MP lite/4 MP lite/1080p/720p/VGA/WD1/4CIF/CIF;</p> <p>When 1080p Lite mode is enabled:</p> <p>3K lite/5 MP lite/4 MP lite/1080p lite/720p lite/VGA/WD1/4CIF/CIF</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Frame Rate                   | <p>Main stream:</p> <p>When 1080p Lite mode not enabled:</p> <p>For 3K stream access: 3K lite@12fps; 4 MP lite/1080p@15fps; 720p/WD1/4CIF/VGA/CIF @20fps</p> <p>For 5 MP stream access: 5 MP lite@12fps; 4 MP lite/1080p@15fps; 720p/WD1/4CIF/VGA /CIF@20fps</p> <p>For 4 MP stream access: 4 MP lite/1080p@15fps; 720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N)</p> <p>For 1080p stream access: 1080p/720p@15fps; VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)</p> <p>For 720p stream access: 720p/VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)</p> <p>When 1080p Lite mode enabled:</p> <p>3K lite/5 MP lite@12fps; 4 MP lite@15fps; 1080p lite/720p lite/VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)</p> <p>Sub-stream: WD1/4CIF@12fps; CIF@25fps (P)/30fps (N)</p> |
| Video Bitrate                | 32 Kbps to 6 Mbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Dual-stream                  | Support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Stream Type                  | Video, Video & Audio                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Audio Compression            | G.711u                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Audio Bitrate                | 64 Kbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |


| Video and Audio      |                                                                                                                                                               |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IP Video Input       | 2-ch (up to 10-ch)<br>Enhanced IP mode on:<br>4-ch (up to 12-ch), each up to 4 Mbps<br>Up to 6 MP resolution<br>Support H.265+/H.265/H.264+/H.264 IP cameras  |
| Analog Video Input   | 8-ch<br>BNC interface (1.0 Vp-p, 75 $\Omega$ ), supporting coaxitron connection                                                                               |
| HDTVI Input          | 3K(2960 × 1665)@20 fps, 5 MP(2560 × 1944)@20 fps, 4 MP(2560 × 1440)@30 fps,<br>4 MP(2560 × 1440)@25 fps, 1080p@30 fps, 1080p@25 fps, 720p@30 fps, 720p@25 fps |
| AHD Input            | 5 MP(2592 × 1944)@20 fps, 4 MP(2560 × 1440)@30 fps, 4 MP(2560 × 1440)@25 fps,<br>1080p@30 fps, 1080p@25 fps, 720p@30 fps, 720p@25 fps                         |
| HDCVI Input          | 5 MP(2592 × 1944)@20 fps, 4 MP(2560 × 1440)@30 fps, 4 MP(2560 × 1440)@25 fps,<br>1080p@30 fps, 1080p@25 fps, 720p@30 fps, 720p@25 fps                         |
| CVBS Input           | Support                                                                                                                                                       |
| HDMI Output          | 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz                                                                                                     |
| VGA Output           | 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz                                                                                                     |
| Video Output Mode    | HDMI/VGA simultaneous output                                                                                                                                  |
| Audio Input          | 1-ch, RCA (2.0 Vp-p, 1 K $\Omega$ )<br>8-ch via coaxial cable                                                                                                 |
| Audio Output         | 1-ch, RCA (Linear, 1 K $\Omega$ )                                                                                                                             |
| Two-Way Audio        | 1-ch, RCA (2.0 Vp-p, 1 K $\Omega$ ) (using the first audio input)                                                                                             |
| Synchronous Playback | 8-ch                                                                                                                                                          |
| Network              |                                                                                                                                                               |
| Total Bandwidth      | 96 Mbps                                                                                                                                                       |
| Remote Connection    | 64                                                                                                                                                            |
| Network Protocol     | TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP™, HTTPS, ONVIF                                                                       |
| Network Interface    | 1, RJ45 10/100 Mbps self-adaptive Ethernet interface                                                                                                          |
| Wi-Fi                | Connectable to Wi-Fi network by Wi-Fi dongle through USB interface                                                                                            |
| Auxiliary Interface  |                                                                                                                                                               |
| SATA                 | 1 SATA interface                                                                                                                                              |
| Capacity             | Up to 10 TB capacity for each disk                                                                                                                            |
| Alarm In/Out         | N/A                                                                                                                                                           |
| USB Interface        | Real panel: 2 × USB 2.0                                                                                                                                       |
| General              |                                                                                                                                                               |
| Power Supply         | 12 VDC, 1.33 A                                                                                                                                                |

|                       |                                          |
|-----------------------|------------------------------------------|
| Consumption           | ≤ 12 W (without HDD)                     |
| Working Temperature   | -10 °C to +55 °C (+14 °F to +131 °F)     |
| Working Humidity      | 10% to 90%                               |
| Dimension (W × D × H) | 200 × 200 × 48 mm (7.9 × 7.9 × 1.9 inch) |
| Weight                | ≤ 1 kg (without HDD, 2.2 lb.)            |


**Note:**

- Motion detection 2.0 and perimeter protection cannot be enabled at the same time. Enable one function will make the other one unavailable.
- Enhanced IP mode might be conflicted with smart events (motion detection 2.0 and perimeter protection) or other functions, please refer to the user manual for details.

## Dimension



## Physical Interface



| No. | Description                | No. | Description                             |
|-----|----------------------------|-----|-----------------------------------------|
| 1   | Video and coaxial audio in | 5   | AUDIO IN, RCA connector                 |
| 2   | HDMI interface             | 6   | LAN network interface and USB interface |
| 3   | VGA interface              | 7   | 12 VDC power input                      |
| 4   | AUDIO OUT, RCA connector   | 8   | GND                                     |

## Available Model

iDS-7108HQHI-M1/S

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

