


Date tehnice pentru produs: H6ULG01K0G

Patchcablu Cat.6 neecranat RJ45 gri 1 m



SCHRACK-Info

Patchcords for generic, structured network cabling systems. Support all applications requiring Class D to Class E (e.g. 1000Base-T, 100Base-TX, ATM) as well as VoIP, PoE.

Patchcord with moulded boot in matching cable color. Pin assignment 1:1.

ISO/IEC 11801 2nd ed.; EN 50173-1 and IEC 61156-6.

Fișe tehnice

Categorie	Cat.6
Construcție cablu	4x2xAWG24/7
Ecranaj	U/UTP
Conexiune	1:1
Bit rate	up to Gigabit Ethernet
Număr de perechi	4
Ecranaj	neecranat
Manta	PVC
Funcționalitate LED	fara LED
Masă netă (kg.)	0,05
Culoare	Gri
Temperatura minimă a mediului ambiant (°C)	-20
Temperatura maximă a mediului ambiant (°C)	60
RoHS	conform

Fișe tehnice - Continuare

Lungime patchcord (m.)	1,0
Lățime netă (mm)	230,00
Înălțime (mm)	170,00
Conector standard	EN 60603-7
Tip conector	RJ45 unshielded
Atribuire pin	EIA/TIA 568B 1:1
Împachetare	Single packed in polybag with label

Tabel articole

Descriere	NVP (%)	Greutate cupru (kg/km)	Cod comandă
Patchcablu Cat.6 neecranat RJ45 gri 1m			H6ULG01K0G
Accesorii opționale			
Modul RJ45 neecranat, Cat.6 De-embedded, TOOLLESS LINE			HSEMRJ6UWS
Patchpanel Cat.6 neecranat 24xRJ45U RAL7035			HSERU246GV
Cablu U/UTP Cat.6, 4x2xAWG24/1, 300MHz, LS0H, B2ca albastru albastru, Tambur 500m	68	19	HSKU423BP5
Cablu U/UTP Cat.6, 4x2xAWG24/1, LS0H, Eca, albastru, cutie Box 305m	69	18	HSEKU423H4
Cablu U/UTP Cat.6, 4x2xAWG24/1, PVC, Eca, albastru, cutie Box 305m	69	18	HSEKU423P4